

## REFERENCES FOR SNHN

- Anderson, K., Wickramariyaratne, T., & Blair, A. (2018). A feasibility study of group-based cognitive behaviour therapy for older adults in residential care. *Clinical Psychologist*, 22, 192-202.
- Australian Bureau of Statistics (2017). 3303. Causes of Death, Australia 2017. Canberra: ABS.
- Australian Government Department of Health (2018). Psychological treatment services for people with mental illness in residential aged care facilities. Canberra: Aust. Gov. Dept Health.
- Australian Government Department of Health. (2010). National Mental Health Standards.
- Bartels, S., Moak, G., & Dums, A. (2002). Models of mental health services in nursing homes: A review of the literature. *Psychiatric Services*, 53, 1390–1396.
- Bhar, S. (2016). Innovative psychological support in aged-care facilities: Preliminary research and future directions. *InPsych. The Bulletin of the Australian Psychological Society*. 38 (6) p12-13.
- Bhar, S. (2016a). Building a competent geropsychology workforce in Australia. *InPsych. The Bulletin of the Australian Psychological Society*. 38(6) p17.
- Bradshaw, T., Butterworth, A., & Mairs, H. (2007). Does structured clinical supervision during psychosocial intervention education enhance outcome for mental health nurses and the service users they work with? *Journal of psychiatric and mental health nursing*, 14, 4-12.
- Brunero, S., & Stein-Parbury, J. (2008). The effectiveness of clinical supervision in nursing: an evidence based literature review. *Australian Journal of Advanced Nursing*, 25(3), 86-94.
- Carey, T. (2018). Stepped care for mental health treatment. A system in need of psychological expertise. *In Psych. The bulletin of the Australian Psychological Society*. 40(6), 18-22.
- Chiang, K., Chu, H., Chang, H. et al. (2009). The effects of reminiscence therapy on psychological well-being, depression, and loneliness among institutionalised aged. *International Journal of Geriatric Psychiatry*. 25: 380-388.
- Cook, A. J., ((1998). Cognitive behavioural pain management for elderly nursing home residents. *Journal of Gerontology*. 62A, 908-916.
- Davison, T., McCabe, M., Mellor, D., Ski, C., George, K., & Moore, K. (2007). The prevalence and recognition of major depression among low level aged care residents with and without cognitive impairment. *Ageing and Mental Health*, 11(1), 82-88.
- Davison, T., Snowdon, J., Castle, N., McCabe, M., Mellor, D., Karantzas, G., & Allen, J. (2012). An evaluation of a national programme to implement the Cornell Scale for Depression in Dementia into routine practice in aged care facilities. *International Psychogeriatrics*, 24:4, 631-641.
- Farrand, P., Woodford., Small, F., & Mullan, E. (2017). Behavioural activation self-help to improve depression in people living with dementia: The PROMOTE treatment protocol. *New Zealand Journal of Psychology* 46 (2), 51-62

Franck, L., Molyneux, N., & Parkinson, L. (2015). Systematic review of interventions addressing social isolation and depression in aged care clients. *Quality of Life Research*, 25: 1395-1407.

Gourville, J., & Soman, D. (2002). Pricing and the Psychology of Consumption. *Harvard Business Review*, September, p90-106.

Jones, T.S., Matias, M., Powell, J., Jones, E.G., Fishburn, J., & Loui, J.C. (2007). Who cares for older people with mental illness? A survey of residential aged care facilities in the Australian Capital Territory.: Implications for mental health nursing. *International Journal of Mental Health Nursing*, 16(5), 327-337.

Kessler R.C., Andrews G., Colpe L.J., Hiripi E., Mroczek D. K., Normand S.-L.T., Walters E.E., Zaslavsky A.M. (2002). Short screening scales to monitor population prevalences and trends in non-specific psychological distress. *Psychological Medicine*, 32, 959–976.

Koder, D. (1998). Treatment of anxiety in the cognitively impaired elderly: Can cognitive behaviour therapy help? *International Psychogeriatrics* 10, 173-182.

Kramer, D., Allgaier, A. K., Fejtкова, S., Mergl, R., & Hegerl, U.(2009). Depression in nursing homes: Prevalence, recognition, and treatment. *International Journal of Psychiatry in Medicine*, 39(4), 345-358.

Murphy, B. J., Bugeja, L. C., Pilgrim, J. L., & Ibrahim, J. E. (2018). Suicide among nursing home residents in Australia: A national population-based retrospective analysis of medico-legal death investigation information. *International Journal of Geriatric Psychiatry*. 33, 786-76.

NSW Health (2012). *Mental Health Triage Policy*.

Pahana, N., Byrnes, G., Siddle, H., Koloski, N., & Harley, E. (2007). Development and validation of the Geriatric Anxiety Inventory. *International Psychogeriatrics* (19) 103-114.

Sheik, J., Yesavage, J., (1986). Geriatric Depression Scale (GDS): recent evidence and development of a shorted version. *Clinical Gerontologist* (5) 165-173.

Snowdon, J., & Fleming, R. (2008). Recognising depression in residential facilities: An Australian challenge. *International Journal of Geriatric Psychiatry*, 23:295-300).

Turner, J., & Leach, D. (2009). Brief behavioural activation treatment of chronic anxiety in an older adult. *Behaviour Change*, 26 (3) 214-222.

Turner, J., & Snowdon, J. (2009). An innovative approach to behavioural assessment and intervention in residential care: A service evaluation. *Clinical Gerontologist*, 32:260-275.

Turner, J., & Mathews, M. (2013). *Behavioural Gerontology*. In Madden, G. J., (Ed). *APA Handbook of Behavior Analysis Vol 2. Translating Principles into Practice*. APA, Washington.

Wells, Bhar, S., Kinsella, G., Kowalski, C., Merkes, M., Patchett, A., Salzman, B., Teshuva, K., and Van Holsteyn, J. (2014). What works to promote emotional wellbeing in older people? *Beyond Blue*.

Wuthrich, V.M. (2012). *Ageing Wisely: A group programme for overcoming low mood in older adults group workbook*. Centre for Emotional Health. Dept of Psychology, Macquarie University, Australia.



**AMAZING  
AGEING**  
PSYCHOLOGY